

National Metrology Institute of South Africa Private Bag X34 Lynnwood Ridge 0040 South Africa

Tel: +27 12 947 2705

Angelique Botha abotha@nmisa.org pt@nmisa.org

www.nmisa.org

NMISA-PT88 Proficiency Testing Scheme Description Toxic and nutritional elements in Cassava

Issue date: 3 June 2022

Meiring Naudé Road, Brummeria, Pretoria, South Africa || Private Bag X34, Lynnwood Ridge, Pretoria, 0040, South Africa Reception: +27 12 947 2800 | info@nmisa.org



1 FOREWORD

This is the call for participation in, and description of the NMISA proficiency testing (PT) scheme for the determination of toxic and nutritional elements in cassava. Participants will be required to report on the elements which form part of their routine laboratory services. A confidential report will be issued to all participants after completion of the PT scheme. Information on the elements included, dates for distribution and reporting are listed in Table 1.

This forms part of a range of ISO 17043 accredited PT services offered by NMISA. Please consult our website <u>www.nmisa.org</u> for information on PT schemes on offer. NMISA can also assist with the preparation of traceable gravimetrically prepared spike solutions for benchmarking *ad-hoc* analyses for which commercial PT schemes are not available.

2 SCHEME AIMS

This scheme will assist laboratories that routinely analyse toxic and nutritional elements in cassava, to monitor their laboratory performance. The PTS allows laboratories to evaluate their accuracy and comparability of measurement results produced; the continued competency of analytical staff; and the maintenance and effectiveness of the current quality assurance systems within the laboratory. In addition, this information may also be used to provide accreditation bodies or clients with objective evidence of laboratory performance.

3 PARTICIPATION FEES AND ADDITIONAL CHARGES

The cost of participation in the PT scheme is R 5 000. These rates exclude costs associated with delivery (0% VAT, please note that we are not a VAT registered company). This fee includes the material and a confidential report upon completion.

Since many of the South African participants are located within close proximity to NMISA, the option of collecting the PT scheme samples from NMISA premises is permitted.

International laboratories will have test samples sent by courier and appropriately packaged to maintain sample integrity. International participants must provide NMISA with any import or quarantine permits that might be required to complete sample delivery well in advance of the shipment date and are liable for any customs or import duties charged.

Upon registration for participation an official quotation will be provided. Participation is confirmed following receipt of a purchase order and/or proof of payment.

4 PT SCHEME DESCRIPTION

The timeline for the PTS is presented in Table 1. Laboratories are requested to report results for as many of the parameters specified as possible, to allow for maximum benefit from the participation. This study is designed to support laboratories routinely performing elemental analysis. The levels of the analytes should be easily achievable using analytical methods typically applied, however care should be taken to ensure maximum recovery and monitor potential matrix effects. Instructions for proper handling and storage of the samples prior to sample preparation will accompany the PT scheme samples. Participants should adhere to these instructions to ensure sample integrity and comparability of the results.



NMISA-PT88	Toxic and nutritional elements in Cassava	Sample format	Distribution/ Dispatch	Result reporting
Parameters*	Toxic and nutritional elements Cd (0.5 - 50 μg/kg)	100 g milled and homogenised cassava sample	Jan 2023	Feb 2023
	Cu (0.3 - 50 μg/kg) Pb (0.1 - 50 μg/kg)			
	Cr (0.1 - 50 µg/kg)			
	Cu (0.5 - 50 mg/kg)			
	Ni (0.5 - 50 mg/kg)			
	Mo (0.5 - 50 mg/kg)			
	Zn (1 - 50 mg/kg)			
	Fe (1 - 50 mg/kg)			
	Na (1 - 50 mg/kg)			
	Mn (1 - 50 mg/kg)			
	Ca (100 – 1 000 mg/kg)			
	K (1000 – 10 000 mg/kg)			
	P (1000 – 10 000 mg/kg)			
	S (1000 – 10 000 mg/kg)			
	Participants will be required to perform the analysis using their normal laboratory procedures and are required to report two results for each parameter measured in the sample provided .			
Result Reporting	Participants are encouraged to include an uncertainty estimate for each result obtainer result reporting form will be distributed to participants and will request additional informative measurement technique and parameters, any recovery correction application, call standards used etc.			
	Assigned value			
	 The assigned value for the elements will be the values obtained through ICP-MS analysis at the NMISA Inorganic Analysis Laboratory, an ISO/IEC 17025 accredited method. 			
	Although outsourcing of PT activities is usually limited to the couriers used for the distribution of the PT samples, for some of the elements, the robust H15 mean of results obtained from, and outsourced to, expert laboratories may be considered.			
	Laboratory performance			
	Laboratory performance will be evaluated using the z-score			
PT conduct	Standard deviation of proficiency assessment			
	• The modified Horwitz model will be used to estimate a standard deviation of proficiency assessment. The standard deviation of participant results will also be included in the final PT report for reference and comparison to the Horwitz prediction.			
	PT report			
	 The PTS report will be distributed within 2 weeks following the result submission deadline. Reports will be provided in electronic format only (Adobe Acrobat- pdf) files. The scheme is fully confidential. Each participant will be issued with a unique identification number. For multiple participants within the same laboratory the participating laboratory is required to identify its analysts by a code known only to the laboratory. 			

Table 1: PTS details for NMISA-PT88 Toxic and nutritional elements in Cassava.

*NMISA strives to ensure that the material is locally sourced, naturally contaminated material covering the full range of elements. However, analytes included may vary from the list provided.